



Office of the Dy. Health Officer,
Narela Zone

No. DHO/NRZ/2022-23/168

Dated : 07/09/2022

School Health Certificate


1. Name of the School : Khemo Devi Public School
2. Location : Kh. No. 33/4, Street No Safiabed Road,
Village Near Bharat Gas Agency,
Narela, Delhi-110040.
3. School Timing : 8:00 am to 2.00 pm
4. No. of staff : 17 (Male - 02 Female - 15)
5. No. of Students : Male 170
Female 108
278
6. No. of Rooms : 39
7. No. of Fans each in room : 4
8. No. of Urinals/Toilets : 28 (13 For Male, 14 For Female, 1 CWSN)
9. Drinking Water : Water Test Report (by DJB)

During the course of inspection, it is found that the school is functioning in good sanitary and hygienic condition.


Dy. Health Officer
Narela Zone

Dy. Health Officer
Narela Zone North DMC

✓
Manager,
Khemo Devi Public School
Kh. No. 33/4, Street No Safiabed Road,
Village Near Bharat Gas Agency,
Narela, Delhi-110040.


PRINCIPAL
KHEMO DEVI PUBLIC SCHOOL
Safiabed Road, Narela, Delhi-110040
Ph. 9999954998, 9999781997
School I.D.1310461